

**n** **Vf**  
PAGE  
246-247

**DIN  
6539**

**3XD**

**343TA - 318N (h7)**

Ø mm	1~3	3.1~6	6.1~10	10.1~18	18.1~20
tol. D µ	0 / -10	0 / -12	0 / -15	0 / -18	0 / -21



**MG**  
**PV200**

**MG**  
**BR**

D(h7)	d(h6)	l	L	Stock	Stock
mm 1.00	2	6	40	●	●
1.10	2	7	40	●	●
1.20	2	8	40	●	●
1.30	2	8	40	●	●
1.40	2	9	40	●	●
1.50	2	9	40	●	●
1.60	2	10	40	●	●
1.70	2	10	40	●	●
1.80	2	11	40	●	●
1.90	2	11	40	●	●
2.00	2	12	40	●	●
2.10	2.1	12	40	●	●
2.20	2.2	13	40	●	●
2.30	2.3	13	46	●	●
2.40	2.4	14	46	●	●
2.50	2.5	14	46	●	●
2.60	2.6	14	46	●	●
2.70	2.7	16	46	●	●
2.80	2.8	16	49	●	●
2.90	2.9	16	49	●	●
3.00	3	16	49	●	●
3.10	3.1	18	49	●	●
3.20	3.2	18	49	●	●
3.30	3.3	18	52	●	●
3.40	3.4	20	52	●	●
3.50	3.5	20	52	●	●
3.60	3.6	20	52	●	●
3.70	3.7	20	52	●	●
3.80	3.8	22	55	●	●
3.90	3.9	22	55	●	●
4.00	4	22	55	●	●
4.10	4.1	22	55	●	●
4.20	4.2	22	55	●	●
4.30	4.3	24	58	●	●
4.40	4.4	24	58	●	○
4.50	4.5	24	58	●	●

● stock standard   ○ non-standard stock   ■ stock exhaustion

TYPHOON

C-SD-TA

LFTA

SUTA

HSS-HSS/CO DRILLS

UH RED

MEX ORANGE

HF EVO

MEF ENDLESS

ALU

MDC

G2

MDTA

ULTRA MILLS

HSS/CO

CARBIDE BURRS

PARAMETERS