

**n** **Vf**  
PAGE  
250~252

**DIN**  
**338**

**238NVA - 2386STI (h8)**

Ø mm	1~3	3.1~6	6.1~10	10.1~18	18.1~20
tol. D µ	0 / -14	0 / -18	0 / -22	0 / -27	0 / -33



d = D

D(h8)	I	L		Stock	Stock
mm 1.00	12	34	10	●	●*
1.10	14	36	10	●	●*
1.20	16	38	10	●	●*
1.25	16	38	10	●	
1.30	16	38	10	●	●*
1.40	18	40	10	●	●*
1.50	18	40	10	●	●*
1.60	20	43	10	●	●
1.70	20	43	10	●	●
1.75	22	46	10	●	
1.80	22	46	10	●	●
1.90	22	46	10	●	●
2.00	24	49	10	●	●
2.10	24	49	10	●	●
2.20	27	53	10	●	●
2.25	27	53	10	●	
2.30	27	53	10	●	●
2.40	30	57	10	●	●
2.50	30	57	10	●	●
2.60	30	57	10	●	●
2.70	33	61	10	●	●
2.75	33	61	10	●	
2.80	33	61	10	●	●
2.90	33	61	10	●	●
3.00	33	61	10	●	●
3.10	36	65	10	●	●
3.20	36	65	10	●	●
3.25	36	65	10	●	
3.30	36	65	10	●	●
3.40	39	70	10	●	●
3.50	39	70	10	●	●
3.60	39	70	10	●	●
3.70	39	70	10	●	●
3.75	39	70	10	●	
3.80	43	75	10	●	●
3.90	43	75	10	●	●

\* N TYPE ≤ mm. 1.5 = 2385NTI

● stock standard ○ non-standard stock ■ stock exhaustion

- TYPHOON
- C-SD-TA
- LFTA
- SUTA
- HSS-HSS/CO DRILLS
- UH RED
- MEX ORANGE
- HF EVO
- MEF ENDLESS
- ALU
- MDC
- G2
- MDTA
- ULTRA MILLS
- HSS/CO
- CARBIDE BURRS
- PARAMETERS